



Alcoflex 100 HG F4

DESCRIPTION

High quality, non-potable ethanol denatured especially for use in the printing, surface coatings and chemical manufacturing industries.

Alcoflex 100 HG F4 does not require an Australian Taxation Office (ATO) permit for purchase.

FEATURES

Ethanol denatured with Tertiary Butanol 0.25%.

A clear, colourless liquid miscible in water and hydrocarbon solvents.

A product for use in industrial cleaning formulations and coatings reducer formulations.

Denatured with another alcohol - does not contain hydrocarbons.

Lower odour than Alcoflex 100.

Very low water content (0.42% max).

Versatility – **Alcoflex 100 HG F4** is readily available and inexpensive. It is often a suitable alternative to Isopropyl Alcohol where solubility is not critical or can be assisted by other formula components.

PACKAGING

Alcoflex 100 HG F4 is available in IBCs (1000 litre bulk containers), drums and 10 and 20 litre containers.

SAFETY

Please consult the MSDS on **Alcoflex 100 HG F4** before use.

The information and recommendations contained herein are based on data believed to be correct at this time. However, no guarantee of any kind, expressed or implied is made with respect to the information contained herein.

Typical Characteristics

Specific Gravity.....	0.79
Flash Point.....	12°C
Boiling Point.....	78°C
Percentage Volatiles	100%

 **MSDS available**

QUEENSLAND
Tel +61 7 3308 5200
Fax +61 7 3308 5201

NEW SOUTH WALES
Tel +61 2 8709 9600
Fax +61 2 9791 5066

VICTORIA
Tel +61 3 9408 4144
Fax +61 3 9408 4155

SOUTH AUSTRALIA
Tel +61 8 8222 1333
Fax +61 8 8260 7883

WESTERN AUSTRALIA
Tel +61 8 9352 3000
Fax +61 8 9352 3033

© Copyright Recochem Inc. All rights reserved. All content remains the property of Recochem Inc. All other trademarks mentioned are trademarks or registered trademarks of their respective owners. All text, images, graphics and PDF files are subject to the copyrights and intellectual property rights of Recochem Inc. Separate to the purpose of review and private use, this information cannot be used without written permission from Recochem. Information contained herein is for general information only and should not be used as an infallible to a product's specification and or performance.