



Recosol D110

DESCRIPTION

A low odour, white water, high flash point hydrocarbon solvent characterised by the absence of nitrogen compounds, sulphur, aromatics and other impurities.

FEATURES

A high flash point solvent that is not classified as dangerous goods for transport but is combustible for storage.

A low very low odour alternative to hydrocarbons with high aromatics.

Can be used in agchem formulations.

Versatility – Recosol D110 can be substituted for many traditional hydrocarbons, especially in blends requiring a low odour.

Good Stability – Recosol D110 is stable, especially under adverse conditions such as electro-discharge machining.

Selective Solvency – Recosol D110 has a high solvency for greases, oils and waxes, but does not have the inherent capability to swell rubber or plastics.

PACKAGING

Recosol D110 is available in drums.

SAFETY

Please consult the MSDS on **Recosol D110** before use.

The information and recommendations contained herein are based on data believed to be correct at this time. However, no guarantee of any kind, expressed or implied is made with respect to the information contained herein.

Typical Characteristics

Specific Gravity.....	0.81-0.84
Flash Point (typical)	110 +/-5°C
Boiling Range	240–290°C
Aromatic Content.....	0.1%
Aniline Point.....	~85°C
Odour.....	neutral
Sulfur Content (wt ppm).....	5 max



MSDS available

QUEENSLAND
Tel +61 7 3308 5200
Fax +61 7 3308 5201

NEW SOUTH WALES
Tel +61 2 8709 9600
Fax +61 2 9791 5066

VICTORIA
Tel +61 3 9408 4144
Fax +61 3 9408 4155

SOUTH AUSTRALIA
Tel +61 8 8222 1333
Fax +61 8 8260 7883

WESTERN AUSTRALIA
Tel +61 8 9352 3000
Fax +61 8 9352 3033