



# MATERIAL SAFETY DATA SHEET

---

## SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

---

### Product Name: RECOSOL BASE COAT THINNER

Company: Recochem Inc. ABN: 69 010 485 999  
Address : 1809 Lytton Road, Lytton, Queensland 4178  
Phone: (07) 3308 5200 Fax: (07) 3308 5201  
Emergency Telephone Number: (07) 3308 5200 Day, After Hours 1300 131 001

Other Names: None  
Manufacturer's Product Code: 18300  
Recommended Use: Solvent/Thinner

---

## SECTION 2 HAZARDS IDENTIFICATION

---

**CLASSIFIED AS HAZARDOUS ACCORDING TO CRITERIA OF WORKSAFE AUSTRALIA  
A DANGEROUS GOODS ACCORDING TO THE CRITERIA OF THE ADG CODE**

**Symbol:** Xn - Harmful  
F - Flammable

**Risk Phrases:** R11 - Highly flammable  
R63 - Possible Risk of harm to the unborn child  
R65 - Harmful: May cause lung damage if swallowed  
R66 - Repeated exposure may cause skin dryness or cracking  
R67 - Vapours may cause drowsiness and dizziness

**Safety Phrases:** S2 - Keep out of the reach of children  
S23 - Do not breathe vapour  
S24/25 - Avoid contact with skin and eyes  
S36/37 - Wear suitable protective clothing and gloves  
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show label where possible)  
S53 - Avoid exposure-obtain special instructions before use  
S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show container or label

---

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

---

### Hazardous Ingredients

<i>Chemical Entity</i>	<i>CAS Number</i>	<i>Proportion (%)</i>
n-Butyl Acetate	123-86-4	20 - 40
Solvent naphtha (petroleum), light aromatic	64742-95-6	20 - 40
1-Methoxy-2-Propyl Acetate	108-65-6	20 - 40
Toluene	108-88-3	< 10
Contains < 0.1% w/w benzene		

---

## SECTION 4 FIRST AID MEASURES

---

### FIRST AID TREATMENT

**Swallowed:** If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

**Eye:** If in eyes, hold eyes open, flood with water for at least 15 minutes. Seek immediate medical assistance.

**Skin:** If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available. If irritation occurs seek medical advice.

**Inhaled:** Remove victim from exposure if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment. Remove contaminated clothing.

**Product: RECOSOL BASE COAT THINNER**

**First Aid facilities:** Potable water should be available to rinse eyes or skin. Provide eye baths and safety showers.

**Advice to Doctor:** Treat symptomatically.

**Additional Information:** None available.

---

**SECTION 5 FIRE FIGHTING MEASURES**

---

**Specific Hazards:** A flammable liquid. May form flammable vapour mixture with air. Avoid all ignition sources. Flameproof equipment necessary in area where chemical is being used. Nearby equipment must be earthed. Vapours may travel considerable distances to source of ignition and flashback. Vapours may accumulate in low or confined areas.

**Suitable Extinguishing Media:** Foam, water spray or fog. Dry chemical powder or carbon dioxide for small fires only. Do not use water in a jet.

**Hazards from combustion products:** Carbon monoxide and/or carbon dioxide may be evolved.

**Fire Fighting Media and Instructions:** Highly flammable liquid. Heating can cause expansion or decomposition leading to violent rupture of containers. Use foam, dry agent. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or combustion products.

**Additional Information:** Hazchem code ●3YE.

---

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

---

Observe all local and national regulations.

**Spills and Disposal:** Shut off all sources of ignition. Increase ventilation. Clear area of all unprotected personnel. Stop leak if safe to do so. Absorb with dry earth, sand or other non-combustible and inert material. Use non-sparking tools. Take precautionary measure against static discharge. Ensure electrical continuity by bonding and earthing all equipment.

**Methods and Materials for Containment and Clean Up Procedures:** For small spills (<1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely. For larger spills (> 1 drum), transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Retain as contaminated waste. Allow and residues to evaporate or use an appropriate absorbent material and dispose of safely.

---

**SECTION 7 HANDLING AND STORAGE**

---

**Precautions for Safe Handling and Storage:** Avoid breathing of or contact with material. Use in well ventilated areas. Wash thoroughly after handling. Avoid contact with skin and eyes and clothing. Handle open containers in well ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Do not empty into drains. Do not eat, drink or smoke in contaminated areas. Before eating, drinking or smoking, remove contaminated clothing and wash hands. Do not store near strong oxidants.

**Dispensing:** Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment.

**Flammability:** Flammable.

---

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

**Exposure Standards:** Worksafe Australia has set the following exposure standards:  
n-Butyl Acetate: 713mg/m<sup>3</sup> (150ppm) TWA (8hr), STEL 950mg/m<sup>3</sup> (200ppm)  
Aromatic solvents 169-185, HSPA: 100mg/m<sup>3</sup> TWA (8hr)  
Methoxy Propyl Acetate: 274mg/m<sup>3</sup> (50ppm) TWA (8hr), STEL 548mg/m<sup>3</sup> (100ppm)  
Toluene: 191mg/m<sup>3</sup> (50ppm) TWA (8hr), 574mg/m<sup>3</sup> (150ppm) STEL

**Biological Limit Values:** No biological limit allocated.

**Personal Protective Equipment:**

**Respiratory Protection:** If inhalation risk exists an approved organic vapour respirator (AS/NZS 1715 and 1716) should be worn.

**Hand Protection:** Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidental splashes.

**Eye Protection:** Wear safety goggles.

**Protective Clothing:** Use chemical resistant glove/gauntlets, boots and apron.

**Engineering Controls:** Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists. Keep containers closed when not in use.

**Product: RECOSOL BASE COAT THINNER**

---

**SECTION 9 IDENTIFICATION**

---

**PHYSICAL DESCRIPTION / CHEMICAL PROPERTIES**

Appearance:	Clear Liquid
Odour:	Fruity
pH:	N/A
Vapour Pressure (@ 20°C):	3 - 3.5kPa
Vapour Density (air = 1):	< 1
Boiling Point (°C):	110 - 182
Freezing/Melting Point (°C):	N/A
Solubility in Water:	Slight
Specific Gravity (g/ml @ 20°C):	0.88
Flashpoint (°C):	4 (Abel)
Flammability Limits (%):	1.2 - 8.0
Auto Ignition Temperature (°C):	333
Percent Volatiles:	90

---

**SECTION 10 STABILITY AND REACTIVITY**

---

**Chemical Stability:** Stable under normal conditions of use.

**Conditions to Avoid:** Avoid heat, sparks, open flames and other ignition sources.

**Incompatible Materials:** Strong oxidising agents, strong acids, nitrates, caustic material, plastics, rubber, water and potassium tert-butoxide.

**Hazardous Decomposition Products:** Thermal decomposition is highly dependant on conditions. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

---

**SECTION 11 TOXICOLOGICAL INFORMATION**

---

**HEALTH EFFECTS**

*Acute:*

**Swallowed:** Swallowing may result in nausea, vomiting and central nervous system depression. If victim shows signs of central nervous system depression (like those of drunkenness) there is a high possibility of patient breathing in vomit and causing lung damage.

**Eye:** May be an eye irritant.

**Skin:** Contact with skin may result in irritation. Will have a degreasing effect on the skin. Repeated or prolonged skin contact may lead to irritant contact dermatitis. Repeated exposure may cause skin dryness or cracking.

**Inhaled:** Breathing in vapour may produce respiratory irritation. Breathing in vapour can result in headaches, dizziness, drowsiness, and possible nausea. Breathing in high concentrations can produce central nervous system depression, which can lead to loss of co-ordination, impaired judgement and if exposure is prolonged, unconsciousness.

**Chronic:** No information available for this product.

---

**SECTION 12 ECOLOGICAL INFORMATION**

---

**Ecotoxicity:** Avoid contaminating waterways.

**Mobility:** Adsorbs to soil and has low mobility. Floats on water.

**Persistence/degradability:** Readily biodegradable. Oxidises by photo-chemical reactions in air.

**Bioaccumulation:** Has the potential to bioaccumulate.

---

**SECTION 13 DISPOSAL CONSIDERATIONS**

---

**Disposal Methods:** Ensure waste disposal conforms to local waste disposal regulations.

---

**SECTION 14 TRANSPORT INFORMATION**

---

UN Number:	1263	Proper Shipping Name:	PAINT RELATED MATERIAL
Class:	3	Subsidiary Risk:	N/A
Packing Group:	II	Hazchem Code:	●3YE
Special Precautions for User:	None		

**Product: RECOSOL BASE COAT THINNER**

---

**SECTION 15 REGULATORY INFORMATION**

---

Poisons Schedule : 5  
AICS : Listed  
Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB76:2010): 14

---

**SECTION 16 OTHER INFORMATION**

---

Further Information may be obtained by contacting Recochem on (07) 3308 5200

---

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product.

---